

CATAWBA COUNTY PERMIT

BUILDING (C)New Building

P. O. Box 389

25 Government Drive **PERMIT NO:**

APPLIED: 05/20/1999

ISSUED: EXPIRES: 05/20/1999 01/01/2999 9963709

Phone: 828-465-8399

Newton FAX: 828-465-8962

Newton, North Carolina 28658

www.catawbacountync.gov

Applicant DEFAULT APPLICANT, ,

ACCOUNT: 1000

Owner BANDYS HIGH/ STORAGE BUILDINGS, PO BOX 1000, NEWTON NC 28658

LIEN AGENT NOT ASSIGNED

PROPERTY ID#:368901065181

STREET ADDRESS:5040 E BANDYS CROSS ROAD, CATAWBA

PROJECT DESCRIPTION:DS - BANDYS HIGH SCHOOL / 5040 EAST BANDYS X RDS

PD - BANDYS HIGH/ STORAGE BUILDING-OWNER/ *2380 STORAGE BUILDINGS FOR BALL FIELDS (3 BUILDING & 1ì ADDITION TO EXISTING CONCESSION STAND) FIELDì HOUSE BLD #1/ CONCESSION #2/ STORAGE #3

TYPE OF USE: TOTAL SQ FT 2,380.00

OF STORIES:

ZONING: NUMBER OF UNITS:

CODE EDITION: TOTAL # OF ROOMS: 0

Related Permits for primary subcontractors associated with this project:

Additional permits for other related work will be issued as needed (i.e. gas lines, unit heaters, etc.)

9963914 9963918 9969714 9972196

These Permits will remain inactive until an application from the subcontractor is received by the Permit Center.

Once the Permit is activated, scheduling through the IVR system will be permitted.

INVOICE#:

05/20/1999	\$80.92
	\$80.92
	05/20/1999

ISSUED BY: System Administrator APPROVED BY: Reid Goforth

9963936

BACO

CATAWBA COUNTY PERMIT

BUILDING (C) 9963709 New Building

The County has an agreement with Republic Services of NC granting them an exclusive license to transport and dispose of all solid waste, including construction and demolition debris in the unincorporated areas of the County. The approval of your application for a construction/building permit is made specifically contingent upon your agreement not to utilize any other business or company to transport and/or dispose of solid waste from construction site(s). Failure to comply with this provision may result in assessment of fines up to \$500 per day. Call Republic Services, Hickory at 828-624-2453 for your disposal needs.

This permit is issued on the express condition that the above work shall conform in all respects to the statements certified to in the application for such permit, and that all work shall be done in accordance with all applicable zoning, building, electrical, plumbing and mechanical ordinances of Catawba County and the State of North Carolina.

A permit issued for work under this Code shall expire by limitations six months after the date of issuance if the work authorized (FOOTINGS ARE CONSIDERED 1st INSPECTION ON NEW CONSTRUCTION) has not been commenced. If after commencement the work is discontunued for a period of 12 months, the permit therefore shall expire. If a project expires, a minimum fee per the current fee schedule will be charged for each building and trade permit to reactivate the project.

***AN ADDITIONAL CHARGE PER THE CURRENT FEE SCHEDULE MAY BE ASSESSED FOR EACH UNWARRANTED INSPECTION SCHEDULED. ***

If there are any questions, please contact the office between 8:00a.m. and 5:00p.m.

ISSUED BY: System Administrator
APPROVED BY: Reid Goforth



CATAWBA COUNTY PERMIT

BUILDING (C) 9963709 New Building

AFFIDAVIT OF WORKER'S COMPENSATION COVERAGE AND STATE PRIVILEGE LICENSE REQUIREMENTS

N.C.G.S. 87-14

The undersigned	applicant for Build	ling Permit # being the
Unlicensed Contractor	Owner	Officer/Agent of the Contractor
do hereby aver under penalties of perjury th	at the person(s), fir in the permi	rm(s) or corporation(s) performing the work set forth it:
has/have three(3) or more employees and have	e obtained workers	compensation insurance to cover them.
has/have one or more subcontractor(s) and have	ve obtained worker	's compensation insurance covering them.
has/have one or more contractor(s) who has/haccoverage by their contractor or have their own		and has waived and has waived in writing their right to compensation covering themselves
has/have not more that two (2) employess and	l no subcontractors.	
has renewed Contractor License.		
has/have applied for permit where the cost is u requirements specified by G.S. 87-14.	under \$30,000 and	I am therefore exempt from Licensed General Contractor
		ng requirements mandating occupancy of the premise king on the project for which the permit is sought.
It is understood that the Inspections Department issuing the per compensation insurance coverage prior to issuance of the per corporation carrying out the work.		
SIGNATURES ARE TO BE WITN	NESSED BY INSPI	ECTIONS PERSONNEL OR NOTARIZED.
FIRM NAME:		
WITNESS:		DATE:
BY (PRINT):	TITL	E:
SIGNATURE:		DATE:
SWORN TO AND SUBSCRIBED BEFORE ME THIS	DAY OF	, 20
SIGNATURE OF NOTARY:		
MY COMMISSION EXPIRES	, 20	OFFICIAL SEAL

06/08/2025 03:36

ISSUED BY: System Administrator APPROVED BY: Reid Goforth

BA COLUMN TO THE SECOND TO THE

CATAWBA COUNTY PERMIT

BUILDING (C) 9963709 New Building

Utilities & Engineering Department Small Site Erosion Control Installation and Maintenance Affidavit

This affidavit must be submitted at time of Building Permit application.

Sedimentation Control Ordinance. I acknowledge that violations of erosion control requirements will be assessed a Project Management Fee of \$50. I acknowledge that Best Management Practices (BMP's) must be used to control soil erosion on my job site which includes, at a minimum, all of the following: • Installation and daily maintenance of silt barriers (i.e. silt fences, etc.) in those low areas where water exits the job site; • Installation and daily maintenance of a stone (1 ½ " - 3 ½ " diameter stone) driveway construction entrance to minimize the tracking of mud into the street; • Removal of mud from the street or adjacent property immediately following any such occurrence without washing the mud into the storm drainage system; • Conduct no land disturbing activities within 30 feet of the banks of streams, lakes, wetlands, etc.(i.e. "blue line water"); • Beginning with a request for any type of slab inspection, or any inspection thereafter, or within 21 days of land disturbance, whichever is earlier, temporary vegetation and/or mulch on all disturbed areas shall be provided and maintained daily.	Subdivision: Phase/Unit: Job Site Address: 5040 E BANI Owner Name: BANDYS HIGH Owner Mailing Address: PO BO Primary Phone: Other Phone: My signature hereon signifies that I a	Lot: DYS CRO I/ STORA DX 1000, 1	SS ROAD, GE BUILI	DINGS		
Phase/Unit: Lot: Block: Job Site Address: 5040 E BANDYS CROSS ROAD, CATAWBA Owner Name: BANDYS HIGH/ STORAGE BUILDINGS Owner Mailing Address: PO BOX 1000, NEWTON, NC 28658 Primary Phone: Other Phone: My signature hereon signifies that I am the person responsible for compliance with the Soil Erosion and Sedimentation Control Ordinance. I acknowledge that violations of erosion control requirements will be assessed a Project Management Fee of \$50. I acknowledge that Best Management Practices (BMP's) must be used to control soil erosion on my job site which includes, at a minimum, all of the following: • Installation and daily maintenance of silt barriers (i.e. silt fences, etc.) in those low areas where water exits the job site; • Installation and daily maintenance of a stone (1 ½ " - 3 ½ " diameter stone) driveway construction entrance to minimize the tracking of mud into the street; • Removal of mud from the street or adjacent property immediately following any such occurrence without washing the mud into the storm drainage system; • Conduct no land disturbing activities within 30 feet of the banks of streams, lakes, wetlands, etc.(i.e. "blue line water"); • Beginning with a request for any type of slab inspection, or any inspection thereafter, or within 21 days of land disturbance, whichever is earlier, temporary vegetation and/or mulch on all disturbed areas shall be provided and maintained daily.	Phase/Unit: Job Site Address: 5040 E BANI Owner Name: BANDYS HIGH Owner Mailing Address: PO BO Primary Phone: Other Phone: My signature hereon signifies that I a	DYS CRO I/ STORA DX 1000, I	SS ROAD, GE BUILI	DINGS		
Job Site Address: 5040 E BANDYS CROSS ROAD, CATAWBA Owner Name: BANDYS HIGH/STORAGE BUILDINGS Owner Mailing Address: PO BOX 1000, NEWTON, NC 28658 Primary Phone: Other Phone: My signature hereon signifies that I am the person responsible for compliance with the Soil Erosion and Sedimentation Control Ordinance. I acknowledge that violations of erosion control requirements will be assessed a Project Management Fee of \$50. I acknowledge that Best Management Practices BMP's) must be used to control soil erosion on my job site which includes, at a minimum, all of the following: • Installation and daily maintenance of silt barriers (i.e. silt fences, etc.) in those low areas where water exits the job site; • Installation and daily maintenance of a stone (1 ½ " - 3 ½ " diameter stone) driveway construction entrance to minimize the tracking of mud into the street; • Removal of mud from the street or adjacent property immediately following any such occurrence without washing the mud into the storm drainage system; • Conduct no land disturbing activities within 30 feet of the banks of streams, lakes, wetlands, etc.(i.e. "blue line water"); • Beginning with a request for any type of slab inspection, or any inspection thereafter, or within 21 days of land disturbance, whichever is earlier, temporary vegetation and/or mulch on all disturbed areas shall be provided and maintained daily.	Job Site Address: 5040 E BANI Owner Name: BANDYS HIGH Owner Mailing Address: PO BO Primary Phone: Other Phone: My signature hereon signifies that I a	DYS CRO I/ STORA DX 1000, I	SS ROAD, GE BUILI	DINGS		
Owner Name: BANDYS HIGH/ STORAGE BUILDINGS Owner Mailing Address: PO BOX 1000, NEWTON, NC 28658 Primary Phone: Other Phone: My signature hereon signifies that I am the person responsible for compliance with the Soil Erosion and Sedimentation Control Ordinance. I acknowledge that violations of erosion control requirements will be assessed a Project Management Fee of \$50. I acknowledge that Best Management Practices BMP's) must be used to control soil erosion on my job site which includes, at a minimum, all of the following: • Installation and daily maintenance of silt barriers (i.e. silt fences, etc.) in those low areas where water exits the job site; • Installation and daily maintenance of a stone (1 ½ " - 3 ½ " diameter stone) driveway construction entrance to minimize the tracking of mud into the street; • Removal of mud from the street or adjacent property immediately following any such occurrence without washing the mud into the storm drainage system; • Conduct no land disturbing activities within 30 feet of the banks of streams, lakes, wetlands, etc.(i.e. "blue line water"); • Beginning with a request for any type of slab inspection, or any inspection thereafter, or within 21 days of land disturbance, whichever is earlier, temporary vegetation and/or mulch on all disturbed areas shall be provided and maintained daily.	Owner Name: BANDYS HIGH Owner Mailing Address: PO BO Primary Phone: Other Phone: My signature hereon signifies that I a	I/ STORA OX 1000, I	GE BUILI	DINGS		
Owner Mailing Address: PO BOX 1000, NEWTON, NC 28658 Primary Phone: Other Phone: My signature hereon signifies that I am the person responsible for compliance with the Soil Erosion and Sedimentation Control Ordinance. I acknowledge that violations of erosion control requirements will be assessed a Project Management Fee of \$50. I acknowledge that Best Management Practices BMP's) must be used to control soil erosion on my job site which includes, at a minimum, all of the following: • Installation and daily maintenance of silt barriers (i.e. silt fences, etc.) in those low areas where water exits the job site; • Installation and daily maintenance of a stone (1 ½ " - 3 ½ " diameter stone) driveway construction entrance to minimize the tracking of mud into the street; • Removal of mud from the street or adjacent property immediately following any such occurrence without washing the mud into the storm drainage system; • Conduct no land disturbing activities within 30 feet of the banks of streams, lakes, wetlands, etc.(i.e. "blue line water"); • Beginning with a request for any type of slab inspection, or any inspection thereafter, or within 21 days of land disturbance, whichever is earlier, temporary vegetation and/or mulch on all disturbed areas shall be provided and maintained daily.	Owner Mailing Address: PO BO Primary Phone: Other Phone: My signature hereon signifies that I a	OX 1000, I				
Primary Phone: Other Phone: My signature hereon signifies that I am the person responsible for compliance with the Soil Erosion and Sedimentation Control Ordinance. I acknowledge that violations of erosion control requirements will be assessed a Project Management Fee of \$50. I acknowledge that Best Management Practices (BMP's) must be used to control soil erosion on my job site which includes, at a minimum, all of the following: • Installation and daily maintenance of silt barriers (i.e. silt fences, etc.) in those low areas where water exits the job site; • Installation and daily maintenance of a stone (1 ½ " - 3 ½ " diameter stone) driveway construction entrance to minimize the tracking of mud into the street; • Removal of mud from the street or adjacent property immediately following any such occurrence without washing the mud into the storm drainage system; • Conduct no land disturbing activities within 30 feet of the banks of streams, lakes, wetlands, etc.(i.e. "blue line water"); • Beginning with a request for any type of slab inspection, or any inspection thereafter, or within 21 days of land disturbance, whichever is earlier, temporary vegetation and/or mulch on all disturbed areas shall be provided and maintained daily.	Primary Phone: Other Phone: My signature hereon signifies that I a	,	NEWTON	NC 28658		
Other Phone: My signature hereon signifies that I am the person responsible for compliance with the Soil Erosion and Sedimentation Control Ordinance. I acknowledge that violations of erosion control requirements will be assessed a Project Management Fee of \$50. I acknowledge that Best Management Practices (BMP's) must be used to control soil erosion on my job site which includes, at a minimum, all of the following: • Installation and daily maintenance of silt barriers (i.e. silt fences, etc.) in those low areas where water exits the job site; • Installation and daily maintenance of a stone (1 ½ " - 3 ½ " diameter stone) driveway construction entrance to minimize the tracking of mud into the street; • Removal of mud from the street or adjacent property immediately following any such occurrence without washing the mud into the storm drainage system; • Conduct no land disturbing activities within 30 feet of the banks of streams, lakes, wetlands, etc. (i.e. "blue line water"); • Beginning with a request for any type of slab inspection, or any inspection thereafter, or within 21 days of land disturbance, whichever is earlier, temporary vegetation and/or mulch on all disturbed areas shall be provided and maintained daily.	Other Phone: My signature hereon signifies that I a	m the pers				
My signature hereon signifies that I am the person responsible for compliance with the Soil Erosion and Sedimentation Control Ordinance. I acknowledge that violations of erosion control requirements will be assessed a Project Management Fee of \$50. I acknowledge that Best Management Practices (BMP's) must be used to control soil erosion on my job site which includes, at a minimum, all of the following: • Installation and daily maintenance of silt barriers (i.e. silt fences, etc.) in those low areas where water exits the job site; • Installation and daily maintenance of a stone (1 ½ " - 3 ½ " diameter stone) driveway construction entrance to minimize the tracking of mud into the street; • Removal of mud from the street or adjacent property immediately following any such occurrence without washing the mud into the storm drainage system; • Conduct no land disturbing activities within 30 feet of the banks of streams, lakes, wetlands, etc.(i.e. "blue line water"); • Beginning with a request for any type of slab inspection, or any inspection thereafter, or within 21 days of land disturbance, whichever is earlier, temporary vegetation and/or mulch on all disturbed areas shall be provided and maintained daily.	My signature hereon signifies that I a	m the pers				
 • Installation and daily maintenance of a stone (1 ½ " - 3 ½ " diameter stone) driveway construction entrance to minimize the tracking of mud into the street; • Removal of mud from the street or adjacent property immediately following any such occurrence without washing the mud into the storm drainage system; • Conduct no land disturbing activities within 30 feet of the banks of streams, lakes, wetlands, etc.(i.e. "blue line water"); • Beginning with a request for any type of slab inspection, or any inspection thereafter, or within 21 days of land disturbance, whichever is earlier, temporary vegetation and/or mulch on all disturbed areas shall be provided and maintained daily. 		m the pers				
 • Installation and daily maintenance of a stone (1 ½ " - 3 ½ " diameter stone) driveway construction entrance to minimize the tracking of mud into the street; • Removal of mud from the street or adjacent property immediately following any such occurrence without washing the mud into the storm drainage system; • Conduct no land disturbing activities within 30 feet of the banks of streams, lakes, wetlands, etc.(i.e. "blue line water"); • Beginning with a request for any type of slab inspection, or any inspection thereafter, or within 21 days of land disturbance, whichever is earlier, temporary vegetation and/or mulch on all disturbed areas shall be provided and maintained daily. 	will be assessed a Project Managem (BMP's) must be used to control soil	cknowled ent Fee of	ge that vio	ations of ero	sion control requireme Best Management Pract	nts ices
 Removal of mud from the street or adjacent property immediately following any such occurrence without washing the mud into the storm drainage system; Conduct no land disturbing activities within 30 feet of the banks of streams, lakes, wetlands, etc.(i.e. "blue line water"); Beginning with a request for any type of slab inspection, or any inspection thereafter, or within 21 days of land disturbance, whichever is earlier, temporary vegetation and/or mulch on all disturbed areas shall be provided and maintained daily. 	-		ilt barriers (.e. silt fences,	etc.) in those low areas	
 occurrence without washing the mud into the storm drainage system; Conduct no land disturbing activities within 30 feet of the banks of streams, lakes, wetlands, etc.(i.e. "blue line water"); Beginning with a request for any type of slab inspection, or any inspection thereafter, or within 21 days of land disturbance, whichever is earlier, temporary vegetation and/or mulch on all disturbed areas shall be provided and maintained daily. 	•		`		, ·	
 etc.(i.e. "blue line water"); Beginning with a request for any type of slab inspection, or any inspection thereafter, or within 21 days of land disturbance, whichever is earlier, temporary vegetation and/or mulch on all disturbed areas shall be provided and maintained daily. 		_		-		
within 21 days of land disturbance, whichever is earlier, temporary vegetation and/or mulch on all disturbed areas shall be provided and maintained daily.		activities w	vithin 30 fee	t of the banks	of streams, lakes, wetland	s,
SIGNATURE DATE	within 21 days of land disturb	ance, whic	hever is ear	ier, temporary	-	on
	SIGNATURE				DATE	
PRINTED NAME TITLE	DDINTED NAME				TITI E	


06/08/2025 03:36


ISSUED BY: System Administrator APPROVED BY: Reid Goforth

CATAWBA COUNTY PERMIT



BUILDING (C) 9963709 **New Building**





06/08/2025 03:36

1842 SM

CATAWBA COUNTY PERMIT

BUILDING (C) 9963709 New Building

WEB PRINTED COPY

06/08/2025 03:36

ISSUED BY: System Administrator APPROVED BY: Reid Goforth